



**DELIVERED:
2-UNITS
DECEMBER
2015**

**8 GPM @ 2800 PSI
Ultra-High Pressure
Slide-In Skid Unit**

FEATURES:

- 8 GPM @ 2800 PSI UHP FS/S
- Honda Gasoline Power / Electric Start
- 3-Gallon Marine Type Fuel Tank
- EJM Custom Fabricated Skid Base
- Under Tank & Pump Long Tool Storage
- Gull-Wing Flip-Up Door Side Storage Compartments
- 1-Ton Pick-Up Truck Box Mountable - (8' STD. Box)
- Light-Bar Mounting Stanchions
- Foam Jug Mounting Tray & Straps
- 150-Gallon Poly Water Tank / 5-Gallon Foam Jug
- Color Coded Water Tank Fill Tower
- Electric Re-Wind UHP Booster Reel
- 150 Feet of .75" MIL Spec, 2-Wire UHP Booster Hose
- EJM Tri-Plex Water / Foam Nozzle
- 1.50" Water Tank Drain
- .75" Water Tank Drain / Back-Pack Fill
- Whelen 56" LED Light-Bar
- Whelen LED Work Lighting





ULTRA-HIGH PRESSURE PUMP:
 8 GPM @ 2800 PSI
 Die Cast Aluminum Crank Case
 Stainless Steel Valves & Seats
 Chrome-Moly Crank Shaft
 Oversized Bearings
 Brass In-Let Manifold
 Stainless Steel Discharge Manifold
 Specially Formulated High Pressure Seals

UHP PUMP ENGINE:
 Honda GX630 - Gasoline Power
 Air-Cooled 4-Stroke OHV
 78 x 72 mm Bore & Stroke
 688 cm³ Displacement
 20.8 H/P @ 3600 RPM
 35.6 lb-ft Torque @ 2500 RPM
 9.3:1 Compression Ratio
 Digital CDI Ignition

EJ METALS

COMPARTMENTS:

Upper Gull-Wing
 72.00" Wide
 16.00" Tall
 18.00" Deep

Lower Full Length
 44.00" Wide
 6.00" Tall
 94.00" Long



**VERSATILE
 ECONOMICAL
 PERFORMANCE**



CONTROL PANEL:

Hose Reel Re-Wind Switch
 Discharge Pressure Gauge
 Foam "ON/OFF" Valve
 Engine Start / HP Pump Valve
 Engine Throttle
 Engine Choke
 Ignition Key Switch
 Winterization Port
 Tachometer / Hour Meter



Contact us at 920.779.9913
 or visit www.ejmetals.com
 for more information.

With over 30 years experience in the fire industry you can count on EJ Metals, Inc. to deliver high quality fire truck apparatus systems.

EJ Metals, Inc. • 1201 Maple Creek Lane, New London, Wisconsin 54961

www.ejmetals.com

Specifications, descriptions and illustrative material in this literature are as accurate as known at the time of publication, but are subject to change without notice. Photos and/or illustrations may include optional equipment and accessories and may not include all standard equipment. All measurements are nominal values.
 © EJ Metals, Inc., EJ Metals and the EJ Metals logo are trademarks of EJ Metals, Inc.